

**From:** [Fitzsimmons, Charlie](#)  
**To:** [Johnson, Larry-C](#)  
**Subject:** FW: FPN E043Z1 - SYKESVILLE ERM's Site Review  
**Date:** Tuesday, May 02, 2017 11:05:18 AM  
**Attachments:** [ERM FPN E043Z1 Sykesville.pdf](#)  
[Sykesville Attachment 1.pdf](#)  
[Sykesville Attachment 2.pdf](#)  
[Sykesville Attachment 3.pdf](#)  
[Sykesville Attachment 4.pdf](#)  
[Sykesville Attachment 5.pdf](#)

---

Sincerely,  
Charlie Fitzsimmons, FOOSC  
USEPA III  
Environmental Science Center  
Ft. Meade, Md 20755  
443.223.9774(m)

-----Original Message-----

From: Sean.G.Devine@uscg.mil [<mailto:Sean.G.Devine@uscg.mil>]  
Sent: Wednesday, October 15, 2014 3:08 PM  
To: Fitzsimmons, Charlie <[Fitzsimmons.Charlie@epa.gov](mailto:Fitzsimmons.Charlie@epa.gov)>  
Subject: FPN E043Z1 - SYKESVILLE ERM's Site Review

Good Afternoon Charlie,

Attached is ERM's assessment of the site's removal operations and associated attachments. The RP has had ERM look into the site as a whole. We are looking for your feedback in regards to their report.

The previous case officers have Fogle's Well and Drilling as being the potential RP. Is that correct or is it Fogle's Septic Clean, INC?

Also the RP has asked for invoices for the subcontractors Plexius hired. Are those invoices available?

Respectfully,  
MSTC Sean Devine  
Team IV Case Officer

National Pollution Funds Center (CM)  
United States Coast Guard Stop 7100  
4200 Wilson Blvd. Ste 1000  
Arlington, VA 20598-7100  
Phone:(703)872-6082  
Fax: (703)872-6133